



## STEAM GENERATOR

# JUNIOR STAR MAX

### Body material

Upper body cover: **PE**

Lower body cover: **varnished steel**

### Boiler material

**Stainless steel AISI 304**

(with interchangeable heating element)

### Boiler volume

**5 L**

### Tanks

Water: **4 L** - Det: **2 L**

### Maximum output

**3,65 kW**

### Boiler output

**3,6 kW**

### Steam production

**97 g/min | 5,9 Kg/h**

### Power supply

**1 ~ 230 V - 50/60 Hz**

### Steam T°

**6 bar: 165° C - 8 bar: 174° C**

### Detergent T°

**90° C - 160° C**

### Vacuum output

**1,2 kW**

### Vacuum drum capacity

**14 L**

### Air flow

**200 m3/h**

### Depression

**2200 mm**

### Power cord

**8 m**

### Weight

**45 Kg**

### Packaging

**73x48x63 cm**



New digital control panel



### APPLICATIONS



**Single-phase steam generator for usage in the professional sector, with a polyethylene body, unlimited steam autonomy** thanks to the automatic refilling system with an internal water tank (electromechanical water level control system inside the boiler – True Temp™). **Possibility to inject detergent** (or hot water as optional) **together with steam. Equipped with a wet&dry vacuum cleaner with float.**

The steam generator's front panel is **equipped with an electric console with commands for a timer, a thermometer and a pressure gauge; the digital display will advise the user about the necessity to proceed with the boiler maintenance.**



## TOOLS



**RADAMES 6 BAR**  
Steam & vacuum 165°C



**STAR 6 BAR**  
Steam & vacuum 165°C



**KIT CAR WASH STAR 8 BAR**  
Steam & vacuum 174°C



**CHEWING GUM REMOVAL**  
Steam & vacuum 165°C



System tested by the  
University of Verona

**STEAM MOP**  
Steam 165°C

