

SAFETY DATA SHEET

NAUTILUS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

NAUTILUS

Product no.

6001

▼ Unique formula identifier (UFI)

J66C-25SG-F00E-N125

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

oil . Dirt remover

Restricted to professional users.

Use descriptors (REACH)

Sectors of use	Description
LCS "IS"	Industrial uses: Uses of substances as such or in preparations at industrial sites
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 8a	Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems
ERC 8d	Wide dispersive outdoor use of processing aids in open systems

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Knud E. Dan A/S

Lunikvej 40

2670 Greve

Denmark

+45 43692422

+45 43690578

Contact person

Lars Bøgeholm

E-mail

lbj@knudedan.dk

Revision

14/04/2025

SDS Version

5.0

Date of previous version

24/02/2025 (4.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.
 Eye Dam. 1; H318, Causes serious eye damage.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Precautionary statement(s)

General

-

Prevention

Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)

Immediately call a POISON CENTER/doctor. (P310)

Storage

-

Disposal

Dispose of contents/container in accordance with local regulation (P501)

▼ **Hazardous substances**

Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
 disodium metasilicate
 2-propylheptanol Ethoxylate
 sodium hydroxide caustic soda

Additional labelling

UFI: J66C-25SG-F00E-N125

▼ **Labelling of contents according to Detergents Regulation (EC) No 648/2004**

< 5%

- Cationic surfactants
- Non-ionic surfactants
- Phosphates

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
-------------------	-------------	-------	----------------	------

2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-xxxx Index No.: 603-096-00-8	3-5%	Eye Irrit. 2, H319	[1], [3]
Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides	CAS No.: 1554325-20-0 EC No.: 810-152-7 REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318	[19]
disodium metasilicate	CAS No.: 10213-79-3 EC No.: REACH: 01-2119449811-37-**** Index No.: 014-010-00-8	1-3%	Skin Corr. 1B, H314 STOT SE 3, H335	
2-propylheptanol Ethoxylate	CAS No.: 160875-66-1 EC No.: 605-233-7 REACH: Index No.:	1-3%	Acute Tox. 4, H302 Eye Dam. 1, H318	
Undecanol, branched and linear, ethoxylated (>= 2.5 EO)	CAS No.: 127036-24-2 EC No.: 603-182-5 REACH: Index No.:	1-3%	Eye Irrit. 2, H319	[19]
sodium hydroxide caustic soda	CAS No.: 1310-73-2 EC No.: 215-185-5 REACH: 01-2119457892-27-XXXX Index No.: 011-002-00-6	<1%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Dam. 1, H318 Eye Irrit. 2, H319 (SCL: 0.50 %)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[3] According to REACH, Annex XVII, the substance is subject to restrictions.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. ▼ Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Keep only in original packaging.

Storage conditions

5 - 25 °C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol

Long term exposure limit (8 hours) (mg/m³): 68

Long term exposure limit (8 hours) (ppm): 10

Short term exposure limit (15 minutes) (mg/m³): 101

Short term exposure limit (15 minutes) (ppm): 15

Annotations:

E = Substance has an EC limit.

sodium hydroxide caustic soda

Short term exposure limit (15 minutes) (mg/m³): 2

Annotations:

L = The limit is a ceiling value that at no time may be exceeded.

Statutory order 1619 on exposure limits for substances and mixtures (19/12/2024)

DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	10 mg/kg uge/dag
Long term – Systemic effects - Workers	Dermal	20 mg/kg/ uge/dag
Long term – Local effects	Inhalation	5 mg/m ³
Long term – Local effects - Workers	Inhalation	10 ppm
Long term – Local effects - Workers	Inhalation	67.5 mg/m ³
Long term – Systemic effects - General population	Inhalation	5 mg/kg uge/dag
Long term – Systemic effects - Workers	Inhalation	10 ppm
Short term – Local effects - General population	Inhalation	7,5 ppm
Short term – Local effects - Workers	Inhalation	14 ppm
Short term – Local effects - Workers	Inhalation	101.2 mg/m ³
Long term – Systemic effects - General population	Oral	6.25 mg/kg bw/day
Short term	Oral	1,3 mg/kg uge/dag

disodium metasilicate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,74 mg/kg/dag
Long term – Systemic effects - Workers	Dermal	1,49 mg/kg/dag
Short term – Systemic effects	Inhalation	6,22 mg/m ³

sodium hydroxide caustic soda

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m ³
Long term – Systemic effects - Workers	Inhalation	1 mg/m ³

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1 mg/l
Freshwater		1.1 mg/L
Freshwater sediment		4 mg/l
Freshwater sediment		4.4 mg/kg
Intermittent release (freshwater)		11 mg/L
Marine water		0,1 mg/l
Marine water		110 µg/L
Marine water sediment		0,4 mg/l
Marine water sediment		440 µg/kg
Sewage treatment plant		200 mg/l
Soil		0,4 mg/l
disodium metasilicate		
Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		7,5 mg/l
Marine water		1 mg/l
Sewage treatment plant		1000 mg/l

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Wash contaminated clothing before reuse.

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15.

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements

Skin protection

Recommended	Type/Category	Standards
Dedicated work clothing should be worn.	-	-



▼ Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0.11	> 240	EN374-2, EN374-3, EN388	
Butyl	0,3	> 240	EN374-2, EN16523-1, EN388	

Eye protection

Type	Standards	
Wear safety glasses with side shields.	EN166	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Blue

Odour / Odour threshold

Characteristic

pH

13

▼ pH in solution

11,8 (5%)

▼ Density (g/cm³)

1,067 - 1,07

▼ Kinematic viscosity

No data available.

Particle characteristics

Does not apply to liquids.

Phase changes

▼ Melting point/Freezing point (°C)

No data available.

Softening point/range (°C)

Does not apply to liquids.

▼ Boiling point (°C)

No data available.

▼ Vapour pressure

No data available.

▼ Relative vapour density

No data available.

▼ Decomposition temperature (°C)

No data available.

Data on fire and explosion hazards

▼ Flash point (°C)

Testing not relevant or not possible due to nature of the product.

▼ Flammability (°C)

The material is not combustible.

▼ Auto-ignition temperature (°C)

No data available.

▼ Lower and upper explosion limit (% v/v)

No data available.

Solubility

Solubility in water

Completely soluble

▼ n-octanol/water coefficient (LogKow)

No data available.

▼ Solubility in fat (g/L)

No data available.

9.2. Other information

Other physical and chemical parameters

No data available.

▼ Oxidizing properties

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2700 mg/kg ·

Product/substance	2-(2-butoxyethoxy)ethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	2410 mg/kg ·

Product/substance	Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
Species:	Rat
Route of exposure:	Oral
Result:	>300-2000 mg/kg

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1152-1350 mg/kg ·

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	> 2,06 g/m3 ·

Product/substance	disodium metasilicate
Species:	Rat

Route of exposure: Dermal
 Test: LD50
 Result: > 5000 mg/kg

Product/substance: 2-propylheptanol Ethoxylate
 Species: Rat
 Route of exposure: Oral
 Test: LD50
 Result: >300-2000 mg/kg

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Species: Rat
 Route of exposure: Oral
 Test: LC50
 Result: >2000 mg/kg

▼ **Skin corrosion/irritation**

Product/substance: disodium metasilicate
 Test method: OECD 404
 Species: Rabbit
 Duration: No data available.
 Result: Adverse effect observed (Corrosive)

Product/substance: 2-propylheptanol Ethoxylate
 Result: No adverse effect observed (Not irritating)

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Species: Rabbit
 Result: No adverse effect observed (Not irritating)

Causes severe skin burns and eye damage.

▼ **Serious eye damage/irritation**

Product/substance: disodium metasilicate
 Test method: OECD 404
 Species: Rabbit
 Duration: No data available.
 Result: Adverse effect observed (Corrosive)

Product/substance: 2-propylheptanol Ethoxylate
 Result: Adverse effect observed (Causes serious eye damage)

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Species: Rabbit
 Duration: 7 days
 Result: Adverse effect observed (Irritating)

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼ **Skin sensitisation**

Product/substance: disodium metasilicate
 Species: Mouse
 Description: Not sensitizing
 Result: No adverse effect observed (not sensitising)

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Test method: OECD 406
 Species: Guinea pig
 Result: No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼ Toxicity

Product/substance: 2-(2-butoxyethoxy)ethanol
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 1300 mg/l ·

Product/substance: 2-(2-butoxyethoxy)ethanol
 Species: Daphnia
 Duration: 24 hours
 Test: LD50
 Result: 3200 mg/l ·

Product/substance: 2-(2-butoxyethoxy)ethanol
 Species: Algae
 Duration: 96 hours
 Test: LD50
 Result: >100 mg/l ·

Product/substance: Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: >10-100 mg/L

Product/substance: Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
 Species: Daphnia, Daphnia magna
 Duration: 48 hours
 Test: EC50
 Result: >1-10 mg/L

Product/substance: Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
 Species: Algae
 Duration: 72 hours
 Test: EC50
 Result: >1-10 mg/L

Product/substance: disodium metasilicate
 Species: Daphnia
 Duration: 96 hours
 Test: LD50
 Result: 1700 mg/l ·

Product/substance: disodium metasilicate
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 210 mg/l ·

Product/substance: disodium metasilicate
 Duration: 48 hours
 Test: LOEC
 Result: >1000 mg/l ·

Product/substance: disodium metasilicate
 Species: Algae
 Duration: 72 hours
 Test: LD50
 Result: >345,4 mg/l ·

Product/substance: 2-propylheptanol Ethoxylate
 Species: Fish, Oncorhynchus mykiss
 Duration: 96 hours
 Test: LC50
 Result: >10-100 mg/L

Product/substance: 2-propylheptanol Ethoxylate
 Species: Bacteria, Daphnia magna
 Duration: 48 hours
 Test: EC50
 Result: >10-100 mg/L

Product/substance: 2-propylheptanol Ethoxylate
 Species: Algae, Scenedesmus subspicatus
 Duration: 72 hours
 Result: >10-100 mg/L

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Species: Daphnia
 Duration: 48 hours
 Test: EC50
 Result: >1-10 mg/L

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Test method: OECD 201
 Species: Algae, Selenastrum capricornutum
 Duration: 72 hours
 Test: NOEC
 Result: >1-10 mg/L

Product/substance: sodium hydroxide caustic soda
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 35-189 mg/l ·

Product/substance: sodium hydroxide caustic soda
 Species: Daphnia
 Duration: 48 hours
 Test: LD50
 Result: 40,4 mg/l ·

12.2. ▼ Persistence and degradability

Product/substance: 2-(2-butoxyethoxy)ethanol
 Result: 90-100
 Conclusion: Readily biodegradable
 Test: TG 301 E- Test Modified OECD Screening Test -70%

Product/substance: Quaternary ammonium compounds, C12-14-alkyl(hydroxyethyl)dimethyl, ethoxylated, chlorides
 Result: 63 %
 Conclusion: Readily biodegradable
 Test: OECD 301 D

Product/substance: 2-propylheptanol Ethoxylate
 Conclusion: Readily biodegradable
 Test: OECD 301 D

Product/substance: Undecanol, branched and linear, ethoxylated (>= 2.5 EO)
 Result: >60 %
 Conclusion: Readily biodegradable
 Test: OECD 301 B

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. ▼ Bioaccumulative potential

Product/substance: 2-(2-butoxyethoxy)ethanol
 LogKow: 0,5600
 Conclusion: No potential for bioaccumulation

Product/substance: disodium metasilicate
 Conclusion: No potential for bioaccumulation

Product/substance: 2-propylheptanol Ethoxylate
 Conclusion: Bioaccumulation is not expected

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)
 HP 8 – Corrosive
 Dispose of contents/container to an approved waste disposal plant.
 Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code
 07 06 99 Wastes not otherwise specified

Specific labelling
 Not applicable.

▼ Contaminated packing

▼ EWC code
 07 01 99 Wastes not otherwise specified

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (sodium	Transport hazard class: 8	III	No	Limited

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
	hydroxide caustic soda, disodium metasilicate)	Label: 8 Classification code: C9 			quantities: 5 L Tunnel restriction code: (E) See below for additional information .
IMDG	UN1760 CORROSIVE LIQUID, N.O.S. (sodium hydroxide caustic soda, disodium metasilicate)	Transport hazard class: 8 Label: 8 Classification code: C9 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information .
IATA	UN1760 CORROSIVE LIQUID, N.O.S. (sodium hydroxide caustic soda, disodium metasilicate)	Transport hazard class: 8 Label: 8 Classification code: C9 	III	No	See below for additional information .

* Packing group

** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

REACH, Annex XVII

2-(2-butoxyethoxy)ethanol is subject to REACH restrictions (entry 55).

▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- Cationic surfactants
- Non-ionic surfactants
- Phosphates

Product registration number

380948

Regulation on work involving coded products

Code number (1993): 00-4

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H290, May be corrosive to metals.
- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H335, May cause respiratory irritation.

The full text of identified uses as mentioned in section 1

- LCS "IS" = Industrial uses: Uses of substances as such or in preparations at industrial sites
- LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- PROC 8a = Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non-dedicated facilities
- PC 35 = Washing and Cleaning Products (including solvent based products)
- ERC 8a = Wide dispersive indoor use of processing aids in open systems
- ERC 8d = Wide dispersive outdoor use of processing aids in open systems

Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System

EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

lbj

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en